

AURORA ZONES – SUMMARY OF REPORTED DIAMOND DRILL INTERSECTIONS

AURORA ZONE

| ADH – 01 | | Total depth 129.50 m, -45° to grid south, 4070 m AMSL (ADH – 02) | | | | | | |
|----------|------------------|--|---------|--------|-------|-------|--------|--------|
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 8.70 - 87.20 | 78.50 | 55 | 50.77 | 3.64 | 0.03 | 0.08 | 0.12 |
| Incl. | 17.70 - 59.70 | 42.00 | 29 | 58.73 | 3.71 | 0.02 | 0.08 | 0.12 |
| ADH – 02 | | Total depth 59.60 m, vertical, 4070 m AMSL (ADH – 01) | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 7.50 - 35.70 | 28.20 | 28 | 37.86 | 0.60 | 0.11 | 0.12 | 0.03 |
| Incl. | 25.30 - 35.70 | 10.40 | 10 | 43.02 | 0.70 | 0.17 | 0.09 | 0.02 |
| ADH – 03 | | Total depth 145.50 m, vertical, 3642 m AMSL (ADH - 04) | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 2.95 - 48.40 | 45.45 | 45 | 43.69 | 3.68 | 0.06 | 0.11 | 0.11 |
| Incl. | 24.50 - 39.60 | 15.10 | 15 | 52.36 | 4.02 | 0.05 | 0.13 | 0.12 |
| Incl. | 42.50 - 48.40 | 5.90 | 5 | 57.31 | 3.75 | 0.05 | 0.11 | 0.13 |
| ADH – 04 | | Total depth 100.00 m, -45° to grid south, 3642 m AMSL (ADH - 03) | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 2.40 - 67.00 | 64.60 | 45 | 42.69 | 3.65 | 0.05 | 0.09 | 0.12 |
| Incl. | 2.40 - 15.50 | 13.10 | 9 | 52.79 | 3.65 | 0.05 | 0.13 | 0.12 |
| Incl. | 24.50 - 30.50 | 6.00 | 4 | 56.77 | 4.06 | 0.05 | 0.09 | 0.14 |
| ADH – 05 | | Total depth 103.00 m, -45° to grid south, 3642 m AMSL | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 20.80 - 23.80 | 3.00 | 2 | 60.19 | 1.20 | 0.07 | 0.07 | 0.06 |
| Other | 53.50 - 71.10 | 17.60 | 12 | 53.20 | 4.61 | 0.03 | 0.10 | 0.16 |
| ADH – 06 | | Total depth 132.10 m, -60° to grid south, 4125 m AMSL | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 35.50 - 114.00 | 78.50 | 68 | 51.05 | 3.46 | 0.03 | 0.12 | 0.13 |
| ADH – 07 | | Total depth 145.30 m, vertical, 4100 m AMSL (ADH - 08) | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 27.50 - 95.00 | 67.50 | 67 | 49.46 | 4.11 | 0.02 | 0.18 | 0.12 |
| Other | 107.00 - 123.50 | 16.50 | 16 | 49.71 | 3.38 | 0.02 | 0.10 | 0.11 |
| ADH – 08 | | Total depth 123.00 m, -50° to grid south, 4100 m AMSL (ADH - 07) | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 13.00 - 21.70 | 8.70 | 6 | 50.65 | 4.31 | 0.02 | 0.13 | 0.12 |
| Other | 59.00 - 83.30 | 24.30 | 18 | 55.60 | 3.74 | 0.01 | 0.08 | 0.13 |
| ADH – 09 | | Total depth 64.05 m, vertical, 4100 m AMSL (ADH - 10) | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |

9.40 - 29.00 19.60 13 50.91 4.92 0.06 0.24 0.18

| | | | | | | | | |
|-----------------|---|------------------|----------------|---------------|--------------|--------------|---------------|---------------|
| ADH – 21 | Total depth 90.00 m, -45° to grid north, 4450 m AMSL (ADH - 19, 20, 22) | | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 40.50 - 62.50 | 22.00 | 15 | 54.34 | 3.64 | 0.06 | 0.30 | 0.13 |
| ADH – 22 | Total depth 41.90 m, -50° to grid west, 4450 m AMSL (ADH - 19, 20, 21) | | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 13.20 - 18.30 | 5.10 | 4 | 34.13 | 2.50 | 0.01 | 0.62 | 0.10 |
| ADH – 23 | Total depth 31.60 m, vertical, 4425 m AMSL (ADH - 24) | | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | No intersections of mineralization | | | | | | | |
| ADH – 24 | Total depth 49.70 m, -50° to grid south, 4425 m AMSL (ADH - 23) | | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 4.00 - 34.70 | 30.70 | 23 | 56.50 | 5.50 | 0.06 | 0.13 | 0.37 |
| ADH – 25 | Total depth 61.00 m, vertical, 4410 m AMSL | | | | | | | |
| | INTERSECTION (m) | WIDTH (m) | TVD (m) | Fe (%) | S (%) | P (%) | Mn (%) | Cu (%) |
| | 0.00 - 33.00 | 33.00 | 33 | 43.76 | 4.43 | 0.03 | 0.18 | 0.11 |

* TVD – approximate total vertical depth from top to bottom of intersection