

ORCOPURA ZONE – SUMMARY OF REPORTED DIAMOND DRILL INTERSECTIONS

ODH – 01	Total depth 147.25 m, vertical, 3805 m AMSL (ODH - 02, ODH - 03)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0 - 131.25	131.25	131	57.31	2.18	0.03	0.05	0.12
Incl.	15.00 - 49.50	34.5		58.01	0.3	0.04	0.04	0.1
Incl.	60.00 - 87.00	27		59.98	3.39	0.03	0.03	0.16
Incl.	92.00 - 131.25	39.25		60.3	3.72	0.03	0.05	0.16
ODH – 02	Total depth 68.30 m, -45° to grid north, 3805 m AMSL (ODH - 01, ODH - 03)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	1.40 - 47.05	45.65	32	52.75	0.05	0.06	0.19	0.06
Incl.	20.05 - 45.55	25.5		58.31	0.05	0.05	0.19	0.06
ODH – 03	Total depth 189.45 m, -60° to grid south, 3805 m AMSL (ODH - 01, ODH - 02)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0 - 149.00	149	129	53.92	1.35	0.05	0.07	0.11
Incl.	27.50 - 48.50	21		56.27	0.92	0.05	0.06	0.14
Incl.	53.20 - 132.00	78.8		59.48	1.47	0.04	0.06	0.12
ODH – 04	Total depth 100.05 m, vertical, 3755 m AMSL (ODH - 05, ODH - 06)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	4.50 - 78.50	74	74	60.29	0.79	0.04	0.08	0.1
Incl.	15.50 - 78.50	63		62.61	0.92	0.03	0.08	0.12
ODH – 05	Total depth 130.65 m, -45° to grid north, 3755 m AMSL (ODH - 04, ODH - 06)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.00 - 108.00	105	74	60.4	1.36	0.04	0.04	0.09
Incl.	34.50 - 108.00	73.5		62.94	1.9	0.02	0.04	0.1
ODH – 06	Total depth 125.00 m, -45° to grid south, 3755 m AMSL (ODH - 04, ODH - 05)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	1.70 - 92.70	89.5	63	56.57	0.71	0.05	0.04	0.07
Incl.	15.50 - 62.00	46.5		63.5	0.13	0.04	0.02	0.04
Incl.	70.20 - 88.20	18		60.8	2.14	0.03	0.06	0.06
ODH – 07	Total depth 177.00 m, vertical, 3750 m AMSL (ODH - 08)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0 - 71.00	71	71	53.94	0.83	0.08	0.07	0.11
Incl.	0 - 37.50	37.5		61.55	0.25	0.1	0.06	0.16
Incl.	46.00 - 68.00	22		55.23	1.49	0.04	0.09	0.07
Other	75.50 - 81.50	6		54.66	3.87	0.03	0.12	0.11
Other	138.50 - 152.35	13.85		59.42	4.05	0.06	0.07	0.12
ODH – 08	Total depth 178.90 m, -60° to grid south, 3750 m AMSL (ODH - 07)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	5.30 - 106.64	99.84	86	46.79	1.42	0.05	0.08	0.11
Incl.	5.30 - 43.70	38.4		53.41	0.09	0.04	0.05	0.12
Incl.	56.60 - 67.20	10.6		59.07	0.42	0.07	0.07	0.1
Incl.	79.64 - 93.14	13.5		55.94	3.46	0.06	0.08	0.12

ODH – 09 Total depth 88.25 m, vertical, 3725 m AMSL (ODH - 10)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	6.50 – 55.30	48.8	48	56.77	1.34	0.03	0.12	0.11
Incl.	6.50 – 41.00	34.5		60.56	0.56	0.03	0.09	0.11
ODH – 10 Total depth 96.15 m, -45° to grid south, 3725 m AMSL (ODH - 09)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0 – 81.60	81.6	58	54.45	0.3	0.04	0.11	0.09
Incl.	3.30 – 35.20	31.9		61.46	0.05	0.03	0.11	0.07
Incl.	41.20 – 50.20	9		60.98	0.07	0.05	0.07	0.06
ODH – 11 Total depth 105.70 m, vertical, 3725 m AMSL (ODH - 12)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0 - 34.00	34	34	55.06	0.02	0.07	0.08	0.02
Incl.	0 - 23.50	23.5		59.81	0.02	0.07	0.08	0.03
Other	44.95 – 53.95	9		50.81	12.81	0.11	0.1	0.11
Other	74.90 – 83.90	9		53.69	4.53	0.1	0.11	0.1
Other	87.41 – 90.41	3		53.37	2.65	0.11	0.09	0.11
ODH – 12 Total depth 100.30 m, -60° to grid south, 3725 m AMSL (ODH - 11)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	1.50 – 39.05	37.55	32	57.51	0.03	0.04	0.1	0.04
Incl.	1.50 – 18.32	16.82		59.94	0.04	0.04	0.06	0.04
Other	45.05 – 55.55	10.5		56.82	3.24	0.13	0.07	0.13
Other	59.83 – 81.50	21.67		57.45	3.61	0.12	0.08	0.12
Incl.	62.00 – 72.50	10.5		62.29	3.66	0.01	0.07	0.15
ODH – 13 Total depth 52.2 m, vertical, 3711 m AMSL (ODH - 14)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0 – 22.50	22.5	22	53.76	0.08	0.11	0.08	0.11
Incl.	3.00 – 7.50	4.5		59.64	0.04	0.05	0.07	0.11
Incl.	10.80 – 22.50	11.7		57.42	0.12	0.04	0.09	0.11
ODH – 14 Total depth 88.25 m, -45° to grid south, 3711 m AMSL (ODH - 13)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	7.80 – 36.85	29.05	20	59.68	0.06	0.08	0.04	0.08
Incl.	7.80 – 16.80	9		63.03	0.03	0.05	0.03	0.07
ODH – 15 Total depth 95 m, vertical, 3727 m AMSL (ODH - 16, ODH - 17)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	No intersections of mineralization							
ODH – 16 Total depth 128.25 m, -45° to grid north, 3727 m AMSL (ODH - 15, ODH - 17)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	16.65 – 46.65	30	21	59.83	3.07	0.01	0.07	0.17
Other	66.15 – 90.15	24		57.6	3.35	0.02	0.08	0.11
Other	93.15 – 99.15	6		57.13	3.52	0.03	0.09	0.11
ODH – 17 Total depth 195.40 m, -45° to grid east, 3727 m AMSL (ODH - 15, ODH - 16)								

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	17.00 – 29.00	12		54.4	2.76	0.01	0.09	0.14
Other	33.50 – 60.50	25.5	17	52.29	3.8	0.01	0.11	0.08
Other	72.40 – 80.10	7.7		57.13	4.77	0.01	0.1	0.07
Other	102.6 – 122.65	20.05		53.87	5.29	0.02	0.12	0.1
Other	157.65 – 180.0	22.35		54.07	4.03	0.03	0.09	0.11

ODH – 18 Total depth 106.75 m, vertical, 3769 m AMSL (ODH - 19, ODH - 21)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	5.50 – 40.00	34.5	34	62.97	0.37	0.12	0.03	0.03
Other	78.15 – 82.65	4.5		55.94	3.12	0.02	0.13	0.05
Other	91.65 – 99.15	7.5		56.32	4.28	0.03	0.06	0.12

ODH – 19 Total depth 177.20 m, -60° to grid south, 3769 m AMSL (ODH - 18, ODH - 21)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	1.60 – 51.40	49.8		63.99	0.42	0.07	0.06	0.06
Other	56.25 – 72.10	15.85		63.93	0.05	0.07	0.09	0.36
Other	80.90 – 133.70	52.8	43	54.2	3.53	0.03	0.07	0.11

ODH – 20 Total depth 188.40 m, vertical, 3676 m AMSL (ODH - 22, ODH - 25, ODH -28)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	37.90 – 53.70	15.8		53.68	3.31	0.03	0.08	0.13
Other	76.25 – 148.15	71.9	71	55.07	3.78	0.02	0.09	0.1
Other	153.85 – 166.0	12.15		56.95	3.62	0.03	0.08	0.1

ODH – 21 Total depth 133.05 m, -45° to grid east, 3769 m AMSL (ODH - 18, ODH - 19)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	8.95 – 123.20	114.25	80	56.73	2.53	0.03	0.07	0.11

ODH – 22 Total depth 145.50 m, -46° to grid south, 3676 m AMSL (ODH - 20, ODH - 25, ODH - 28)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	7.44 – 94.85	85.15	60	57.46	3.9	0.05	0.08	0.11

ODH – 23 Total depth 155.45 m, vertical, 3703 m AMSL (ODH - 24, ODH - 26, ODH - 27, ODH -29)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	15.80 – 140.15	112.1	112	44.07	3.47	0.09	0.07	0.1

ODH – 24 Total depth 116.80 m, -45° to grid south, 3703 m AMSL (ODH - 23, ODH - 26, ODH - 27, ODH - 29)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	12.80 – 43.60	30.8	21	53.5	0.97	0.03	0.12	0.13

ODH – 25 Total depth 95.60 m, -60° to grid west, 3676 m AMSL (ODH - 20, ODH - 22, ODH - 28)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	7.10 – 27.85	20.75		47.1	3.24	0.05	0.19	0.09
Other	33.10 – 80.35	47.25	38	55.44	4.16	0.05	0.12	0.12

ODH – 26 Total depth 85.25 m, -45° to grid west, 3703 m AMSL (ODH - 23, ODH - 24, ODH - 27, ODH - 29)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	15.30 – 60.85	45.55	31	50.9	1.72	0.05	0.22	0.23

ODH – 27 Total depth 81.60 m, -45° to grid north, 3703 m AMSL (ODH - 23, ODH - 24, ODH - 26, ODH -

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	32.00 – 37.90	5.9	4	56.09	4.37	0.02	0.09	0.18
Other	56.70 – 61.20	4.5		53.12	2.91	0.01	0.11	0.14

ODH – 28 Total depth 118.40 m, -45° to grid east, 3676 m AMSL (ODH - 20, ODH - 22, ODH - 25)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	8.50 – 28.40	19.9		52.04	3.19	0.03	0.12	0.09
Other	37.60 – 60.95	23.35	16	55.66	3.33	0.02	0.04	0.08
Other	69.30 – 77.10	7.8		55.61	3.92	0.03	0.05	0.13
Other	82.70 – 109.50	26.8		48.45	3.76	0.05	0.08	0.08

ODH – 29 Total depth 103.75 m, -50° to grid east, 3703 m AMSL (ODH - 23, ODH - 24, ODH - 26, ODH -

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	20.10 – 41.20	21.1	14	44.37	0.53	0.06	0.07	0.1
Other	64.90 – 69.40	4.5		51.44	3.09	0.02	0.08	0.1

ODH – 30 Total depth 154.75 m, vertical, 3665 m AMSL (ODH - 32, ODH - 34, ODH - 35)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	2.00 – 13.80	11.8		47.14	0.1	0.04	0.05	0.11
Other	20.30 – 44.60	24.3	24	57.41	1.89	0.03	0.1	0.09
Other	48.40 – 79.70	31.3		38.57	2.55	0.07	0.07	0.06
Other	124.50–136.40	11.9		49.03	3.55	0.04	0.08	0.2

ODH – 31 Total depth 94.80 m, vertical, 3635 m AMSL

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	No intersections of mineralization							

ODH – 32 Total depth 94.15 m, -50° to grid east, 3665 m AMSL (ODH - 30, ODH - 34, ODH - 35)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	24.40 – 46.30	21.9	16	62.55	0.07	0.04	0.08	0.06

ODH – 33 Total depth 411.60 m, vertical, 3630 m AMSL (ODH - 40)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	26.90 – 384.20	356.5	356	41.29	4.81	0.04	0.07	0.1
Incl.	26.90 – 73.60	45.9		56.75	3.38	0.06	0.06	0.11
Incl.	84.20 – 88.70	4.5		60.33	4.07	0.06	0.05	0.12
Incl.	97.50 – 185.30	87.8		54.95	3.57	0.04	0.08	0.12
Incl.	252.50-307.40	54.9		54.24	3.52	0.02	0.09	0.11

ODH – 34 Total depth 96.90 m, -45° to grid north, 3665 m AMSL (ODH - 30, ODH - 32, ODH - 35)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	5.35 – 80.55	75.2	53	45.42	2.62	0.04	0.08	0.12
Incl.	5.35 – 28.20	22.85		49.4	0.44	0.03	0.04	0.11
Incl.	68.80 – 80.55	11.75		51.37	3.9	0.04	0.08	0.15

ODH – 35 Total depth 108.45 m, -60° to grid south, 3665 m AMSL (ODH - 30, ODH - 32, ODH - 34)

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	20.10 – 84.45	64.35	55	55.39	2.62	0.05	0.06	0.08

ODH – 36	Total depth 60.00 m, vertical, 3640 m AMSL (ODH - 37, ODH - 38)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.20 – 18.35	15.15	15	45.34	1.97	0.18	0.09	0.09
ODH – 37	Total depth 49.50 m, -45° to grid south, 3640 m AMSL (ODH - 36, ODH - 38)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	6.47 – 20.10	13.63	9	48.26	2.3	0.04	0.07	0.1
ODH – 38	Total depth 73.20 m, -45° to grid east, 3640 m AMSL (ODH - 35, ODH - 36)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	9.70 – 33.70	24	20	58.43	3.36	0.04	0.07	0.18
ODH – 39	Total depth 126.50 m, vertical, 3690 m AMSL (ODH - 42, ODH - 43, ODH - 45)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	28.60 – 47.85	19.25		51.38	3.32	0.02	0.07	0.12
Other	83.50 – 113.25	29.75	29	55.36	4.79	0.09	0.06	0.07
ODH – 40	Total depth 241.45 m, -45° to grid north, 3630 m AMSL (ODH - 33, ODH - 49)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	19.90 – 25.00	5.1		55.56	2.19	0.04	0.08	0.09
Other	39.10 – 70.50	31.4		57.16	3.67	0.02	0.06	0.1
Other	87.10 – 153.90	66.8	47	60.54	3.72	0.02	0.06	0.09
Other	158.5 – 192.40	33.9		41.01	2.32	0.07	0.09	0.06
ODH – 41	Total depth 217.55 m, vertical, 3665 m AMSL (ODH - 44, ODH - 46, ODH - 47, ODH - 51)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0.35 – 104.85	104.5	104	56.16	2.33	0.05	0.07	0.16
Other	115.78 – 155.3	39.52		46.65	4.01	0.05	0.09	0.13
ODH – 42	Total depth 129.10 m, -60° to grid east, 3690 m AMSL (ODH - 39, ODH - 43, ODH - 45)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	27.20 – 98.20	71	61	52.45	2.68	0.03	0.06	0.13
ODH – 43	Total depth 112.25 m, -60° to grid south, 3690 m AMSL (ODH - 39, ODH - 42, ODH - 45)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	10.30 – 73.50	63.2	54	45.17	3.31	0.05	0.07	0.13
Incl.	56.75 – 73.50	16.75		53.17	3.88	0.05	0.07	0.11
ODH – 44	Total depth 115.60 m, -45° to grid south, 3665 m AMSL (ODH - 41, ODH - 46, ODH - 47, ODH - 49)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	4.00 – 93.45	89.45	63	61.33	0.62	0.05	0.05	0.07
ODH – 45	Total depth 135.25 m, -45° to grid north, 3690 m AMSL (ODH - 39, ODH - 42, ODH - 43)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	51.00 – 69.00	18	12	51.78	3.3	0.09	0.08	0.09
Other	100.0 – 114.30	14.3		49.07	2.85	0.06	0.23	0.07
ODH – 46	Total depth 77.30 m, -45° to grid north, 3665 m AMSL (ODH - 41, ODH - 44, ODH - 47, ODH - 49)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.70 – 38.35	37.65	26	58.17	0.69	0.04	0.04	0.13

ODH – 47	Total depth 105.25 m, -45° to grid west, 3665 m AMSL (ODH - 41, ODH - 44, ODH - 46, ODH - 48)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	1.30 – 85.00	83.7	59	62.11	2.34	0.04	0.05	0.15
ODH – 48	Total depth 74.20 m, vertical, 3727 m AMSL (ODH - 50, ODH - 52, ODH - 55, ODH - 56)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	26.00 – 54.00	28	28	58.19	2.55	0.03	0.05	0.12
ODH – 49	Total depth 131.65 m, -45° to grid south, 3630 m AMSL (ODH - 33, ODH - 40)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	80.70 – 87.00	6.3	4	61.07	3.1	0.04	0.04	0.02
Other	93.75 – 152.00	58.25	41	50.05	3.47	0.05	0.05	0.08
Incl.	138.55 – 152.00	13.45		58.48	4.36	0.05	0.05	0.12
ODH – 50	Total depth 78.00 m, -45° to grid south, 3727 m AMSL (ODH - 48, ODH - 52, ODH - 55, ODH - 56)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	34.50 - 47.90	13.4	9	41.96	0.04	0.03	0.07	0.07
ODH – 51	Total depth 193.85 m, -60° to grid east, 3735 m AMSL (ODH - 41, ODH - 44, ODH - 46, ODH - 48)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	2.75 - 75.35	72.6	60	59.39	0.18	0.04	0.04	0.06
ODH – 52	Total depth 155.30 m, -45° to grid north, 3727 m AMSL (ODH - 48, ODH - 50, ODH - 55, ODH - 56)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	5.55 - 57.50	51.95	36	58.64	2.46	0.03	0.05	0.07
Other	82.40 - 99.65	17.25	12	55.35	3.84	0.02	0.09	0.11
ODH – 53	Total depth 34.20 m, vertical, 3695 m AMSL (ODH - 54, ODH - 57)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.90 - 13.10	7.1	7	58.51	0.11	0.06	0.07	0.1
ODH – 54	Total depth 202.15 m, -50° to grid east, 3695 m AMSL (ODH - 53, ODH - 57)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.10 - 20.65	17.55	13	49.87	0.04	0.08	0.1	0.2
ODH – 55	Total depth 101.25 m, -45° to grid east, 3727 m AMSL (ODH - 48, ODH - 50, ODH - 52, ODH - 56)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0 - 76.60	76.6	54	54.85	1.05	0.04	0.06	0.1
ODH – 56	Total depth 86.95 m, -45° to grid west, 3727 m AMSL (ODH - 48, ODH - 50, ODH - 52, ODH - 56)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0 - 34.50	34.5	24	46.45	0.06	0.04	0.07	0.07
Other	45.45 - 73.20	27.75	19	55.75	3.52	0.03	0.06	0.12
ODH – 57	Total depth 46.10 m, -38° to grid west, 3695 m AMSL (ODH - 53, ODH - 54)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.00 - 30.70	27.7	17	44.66	1.3	0.07	0.06	0.2
ODH – 58	Total depth 72.80 m, vertical, 3695 m AMSL							

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
4.35 - 31.30	22.95	22	61	1.24	0.01	0.07	0.19

ODH – 59 Total depth 214.45 m, vertical, 3684 m AMSL

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization							

ODH – 60 Total depth 147.85 m, vertical, 3793 m AMSL (ODH - 62, ODH - 63, ODH - 65)

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
2.30 – 95.25	92.95	92	59.10	0.41	0.04	0.05	0.06

ODH – 61 Total depth 212.80 m, vertical, 3675 m AMSL (ODH - 66, ODH - 69)

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
114.85 - 137.25	22.4	22	48.15	2.95	0.02	0.12	0.11
Other	155.20 - 173.85	18.65	18	48.44	1.98	0.04	0.08
Other	186.30 - 209.80	23.5	23	55.98	1.53	0.04	0.05

ODH – 62 Total depth 123.05 m, -45° to grid north, 3790 m AMSL (ODH - 60, ODH - 63, ODH - 65)

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
15.60 – 92.70	77.1	54	44.70	1.38	0.07	0.04	0.09
Incl.	15.60 – 31.45	15.85	62.38	0.08	0.04	0.03	0.08
Incl.	38.50 – 57.10	18.6	62.10	1.52	0.04	0.02	0.08
Incl.	82.90 – 92.70	9.8	49.39	3.05	0.01	0.05	0.10

ODH – 63 Total depth 128.25 m, -60° to grid south, 3790 m AMSL (ODH - 60, ODH - 62, ODH - 69)

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
1.60 – 120.50	118.9	103	54.21	0.21	0.05	0.04	0.05
Incl.	1.60 – 6.30	4.7	62.50	0.03	0.03	0.04	0.03
Incl.	8.20 – 24.70	18.4	60.15	0.12	0.06	0.03	0.05
Incl.	30.70 – 38.70	8	60.20	0.13	0.04	0.02	0.10
Incl.	55.20 – 104.70	49.5	62.07	0.03	0.04	0.04	0.04
Incl.	114.60-118.35	3.75	58.49	2.64	0.03	0.06	0.01

ODH – 64 Total depth 114.90 m, vertical, 3606 m AMSL

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
30.65 – 75.90	45.25	45	52.49	3.61	0.07	0.09	0.09
Incl.	30.65 – 34.95	4.3	53.29	4.22	0.09	0.10	0.08
Incl.	36.75 – 52.90	16.15	59.94	4.15	0.08	0.09	0.11
Incl.	59.55 – 75.90	16.35	57.32	4.01	0.07	0.10	0.10

ODH – 65 Total depth 187.75 m, -35° to grid west, 3790 m AMSL (ODH - 60, ODH - 62, ODH - 63)

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
14.50 – 159.00	144.5	82	53.01	2.15	0.04	0.06	0.18
Incl.	21.00 – 25.20	4.2	63.36	0.03	0.05	0.06	0.03
Incl.	40.80 – 54.00	13.2	57.82	1.94	0.04	0.06	0.15
Incl.	57.90 – 66.30	8.4	59.20	0.54	0.01	0.06	0.09
Incl.	79.30 – 102.05	22.75	59.87	3.68	0.03	0.06	0.27
Incl.	105.50-129.00	23.5	60.43	3.33	0.02	0.06	0.34
Incl.	129.70-159.00	29.3	59.73	2.17	0.06	0.07	0.12
Other	181.40-185.90	4.5	3	49.77	3.45	0.01	0.14

ODH – 66 Total depth 207.85 m, -60° to grid north, 3675 m AMSL (ODH - 61, ODH - 69)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	42.50 – 192.70	150.2	130	53.32	3.50	0.04	0.09	0.10
Incl.	47.00 – 63.50	16.5		58.48	4.01	0.03	0.07	0.11
Incl.	69.50 – 85.35	15.85		56.12	1.48	0.05	0.12	0.05
Incl.	86.65 – 97.95	11.3		50.93	4.01	0.04	0.11	0.11
Incl.	98.75 – 112.80	14.05		55.01	3.57	0.03	0.10	0.10
Incl.	115.15-155.00	39.85		57.83	3.70	0.03	0.07	0.11
Incl.	158.50-167.30	8.8		54.43	4.32	0.04	0.07	0.11
Incl.	169.30-192.70	23.4		56.00	3.93	0.03	0.07	0.11

ODH – 67 Total depth 246.50 m, vertical, 3606 m AMSL (ODH - 71)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	22.30 – 49.80	27.5	27	59.75	3.14	0.08	0.08	0.09
Other	80.35 – 195.50	115.15	115	47.63	4.40	0.04	0.06	0.13
Incl.	80.35 – 105.80	25.45		53.41	4.18	0.05	0.04	0.12
Incl.	139.60-155.70	16.1		54.35	3.99	0.03	0.06	0.13
Incl.	171.00-189.20	18.2		52.75	4.11	0.03	0.09	0.12

ODH – 68 Total depth 350.40 m, vertical, 3606 m AMSL (Orcopura "B")								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization								

ODH – 69 Total depth 183.00 m, -45° to grid west, 3675 m AMSL (ODH - 61, ODH - 66, ODH - 70)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization								

ODH – 70 Total depth 415.40 m, -45° to grid east, 3675 m AMSL (ODH - 61, ODH - 66, ODH - 69)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	35.70 – 397.00	361.3	255	51.7	3.27	0.04	0.09	0.1
Incl.	59.40 – 230.00	170.6		58.64	3.53	0.04	0.09	0.1
Incl.	300.15 – 340.8	40.65		54.53	3.76	0.02	0.1	0.12
Incl.	345.0 – 395.0	50		59.4	4.28	0.02	0.09	0.13

ODH – 71 Total depth 74.85 m, -45° to grid north, 3606 m AMSL (ODH - 67)								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization								

ODH – 72 Total depth 404.50 m, vertical, 3730 m AMSL								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	274.4 – 383.1	108.7	108	53.11	3.9	0.03	0.1	0.11
Incl.	309.25 – 381.1	71.85		56.94	4.07	0.03	0.1	0.12

ODH – 73 Total depth 236.10 m, vertical, 3616 m AMSL								
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	5.30 – 18.65	13.35	13	55.16	3.46	0.03	0.07	0.1
Other	24.15 – 34.70	10.55	10	54.2	4.12	0.04	0.08	0.12
Other	83.20 – 100.75	17.55	17	56.36	4	0.02	0.07	0.13
Other	152.7 – 164.7	12	12	56.56	4.17	0.05	0.16	0.12

Other	182.8 – 202.3	19.5	19	54.89	3.27	0.01	0.07	0.1
-------	---------------	------	----	-------	------	------	------	-----

ODH – 74 Total depth 121.75 m, vertical, 3707 m AMSL

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization							

ODH – 75 Total depth 128.10 m, vertical, 3423 m AMSL

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
14.70 – 24.90	10.2	10	56.94	3.95	0.05	0.14	0.12

ODH – 76 Total depth 427.00 m, vertical, 3655 m AMSL

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)	
114.70 – 121.10	6.4	6	55.54	2.16	0.03	0.06	0.11	
Other	128.60 – 206.95	78.35	78	55.56	3.61	0.02	0.01	0.12
Other	216.35 - 234.35	18	18	54.12	3.74	0.03	0.15	0.09
Other	290.35 – 391.70	104.35	104	46.32	4.02	0.03	0.13	0.12
Incl.	290.35 – 321.85	31.5		52.62	2.93	0.02	0.14	0.11
Incl.	329.35 – 342.85	13.5		55.7	4.25	0.03	0.12	0.14

ODH – 77 Total depth 52.40 m, vertical, 3560 m AMSL (ODH - 78)

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization							

ODH – 78 Total depth 50.70 m, -45° to grid north, 3560 m AMSL (ODH - 77)

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization							

ODH – 79 Total depth 231.00 m, vertical, 3610 m AMSL

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization							

ODH – 80 Total depth 116.85 m, -60° to grid south, 3603 m AMSL

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
61.40 - 74.20	12.8	10	39.69	3.44	0.03	0.11	0.12

ODH – 81 Total depth 118.15 m, -50° to grid west, 3630 m AMSL

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)	
30.90 - 45.90	15.00	11	62.30	4.19	0.03	0.05	0.09	
Other	57.30 - 73.80	16.50	12	58.04	3.04	0.01	0.05	0.10

ODH – 82 Total depth 87.20 m, vertical, 3576 m AMSL

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization							

ODH – 83 Total depth 25.10 m, vertical, 3691 m AMSL (ODH - 84)

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization							

ODH – 84 Total depth 27.10 m, -45° to grid south, 3691 m AMSL (ODH - 83)

INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
------------------	-----------	----------	--------	-------	-------	--------	--------

No intersections of mineralization

ODH – 85	Total depth 65.20 m, vertical, 3697 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	1.60 - 23.50	21.90	21	57.38	1.00	0.03	0.08	0.10
Other	28.00 - 36.50	8.50	8	51.69	4.74	0.03	0.09	0.10
ODH – 86	Total depth 124.00 m, vertical, 3464 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	25.50 - 46.10	20.60	20	55.12	4.05	0.04	0.11	0.14
ODH – 87	Total depth 62.05 m, -60° to grid south, 3697 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	2.70 - 39.80	37.10	32	59.12	1.25	0.03	0.07	0.12
ODH – 88	Total depth 62.20 m, vertical, 3733 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	20.35 - 47.15	26.80	26	64.29	0.93	0.02	0.05	0.04
ODH – 89	Total depth 41.00 m, -45° to grid west, 3733 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.00 - 13.80	10.80	7	59.88	0.11	0.04	0.06	0.08
ODH – 90	Total depth 146.75 m, vertical, 3763 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	1.20 - 89.00	87.80	87	55.08	0.93	0.05	0.05	0.09
Incl.	28.95 - 60.90	31.95		64.70	0.04	0.03	0.05	0.08
Incl.	71.20 - 80.10	8.90		57.76	2.87	0.02	0.07	0.10
Incl.	83.70 - 89.00	5.30		60.29	4.44	0.02	0.07	0.14
Other	110.40 - 116.0	5.60	5	54.06	4.19	0.01	0.05	0.12
ODH – 91	Total depth 66.20 m, vertical, 3732 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.50 - 29.30	25.80	25	49.62	0.22	0.04	0.06	0.08
Other	35.70 - 58.20	22.50	22	56.62	3.49	0.04	0.06	0.13
ODH – 92	Total depth 103.75 m, vertical, 3778 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	2.70 - 69.70	67.00	67	64.13	0.09	0.05	0.06	0.04
ODH – 93	Total depth 93.15 m, vertical, 3798 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	12.75 - 18.80	6.05	6	61.64	0.06	0.03	0.08	0.02
ODH – 94	Total depth 106.50 m, vertical, 3775 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	No intersections of mineralization							
ODH – 95	Total depth 154.55 m, vertical, 3755 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)

	1.00 - 43.00	42.00	42	52.64	0.16	0.07	0.05	0.03
Other	49.30 - 54.75	5.45	5	47.08	3.13	0.03	0.08	0.12
Other	68.20 - 88.45	20.25	20	44.00	2.92	0.02	0.11	0.10
Other	102.10 - 108.1	6.00	6	54.22	4.94	0.01	0.12	0.14

ODH – 96	Total depth 50.00 m, vertical, 3690 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	6.10 - 14.40	8.30	8	62.62	0.03	0.03	0.07	0.07

ODH – 97	Total depth 50.55 m, vertical, 3705 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0.00 - 6.90	6.90	6	44.74	0.11	0.04	0.07	0.28
Other	16.65 - 26.35	9.70	9	62.24	0.06	0.03	0.07	0.06

ODH – 98	Total depth 62.40 m, vertical, 3720 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.40 - 39.00	35.60	35	53.93	1.19	0.03	0.07	0.17

ODH – 99	Total depth 103.45 m, vertical, 3697 m AMSL (ODH - 100)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	2.50 - 48.50	46.00	46	59.50	2.20	0.03	0.11	0.11

ODH – 100	Total depth 52.00 m, -45° to grid west, 3697 m AMSL (ODH - 99)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	5.00 - 43.50	38.50	27	55.61	2.13	0.08	0.13	0.23

ODH – 101	Total depth 84.10 m, vertical, 3676 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	14.10 - 51.60	49.50	49	51.79	3.17	0.05	0.07	0.09

ODH – 102	Total depth 53.80 m, -45° to grid south, 3676 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	0 - 36.60	39.30	27	51.96	2.58	0.04	0.06	0.17

ODH – 103	Total depth 127.40 m, vertical, 3676 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	2.00 - 56.45	54.45	54	57.81	0.35	0.05	0.05	0.03

ODH – 104	Total depth 131.15 m, -45° to grid south, 3749 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	68.80 - 92.00	23.20	16	56.56	3.06	0.02	0.05	0.14

ODH – 105	Total depth 97.80 m, -45° to grid north, 3745 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	No intersections of mineralization							

ODH – 106	Total depth 122.25 m, vertical, 3770 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	3.30 - 102.00	98.70	98	59.90	2.24	0.05	0.07	0.08

ODH – 107	Total depth 228.40 m, vertical, 3620 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	78.70 - 224.50	145.80	145	50.36	4.88	0.04	0.04	0.10
ODH – 108	Total depth 93.50 m, -45° to grid west, 3730 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	6.90 - 75.90	69.00	48	58.81	1.10	0.02	0.02	0.04
ODH – 109	Total depth 30.20 m, -60° to grid south, 3515 m AMSL (ODH - 110, ODH - 111, ODH -112)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	13.30 - 16.10	2.80	2	49.34	2.79	0.08	0.08	0.07
ODH – 110	Total depth 26.00 m, -45° to grid south, 3515 m AMSL (ODH 109, ODH - 111, ODH - 112)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	15.70 - 20.00	4.30	3	56.10	2.43	0.08	0.08	0.06
ODH – 111	Total depth 38.80 m, -45° to grid north, 3515 m AMSL (ODH -109, ODH - 110, ODH - 112)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	No intersections of mineralization							
ODH – 112	Total depth 30.60 m, -45° to grid east, 3515 m AMSL (ODH - 109, ODH - 110, ODH -111)							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	13.90 - 19.35	5.45	3	52.14	3.80	0.04	0.04	0.10
ODH – 113	Total depth 43.20 m, vertical, 3545 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	16.00 - 17.55	1.55	1	45.16	0.15	0.15	0.15	0.02
ODH – 114	Total depth 64.55 m, -50° to grid north, 3620 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	27.75 - 41.25	13.50	9	57.47	3.53	0.05	0.05	0.08
ODH – 115	Total depth 280.00 m, vertical, 3695 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	113.20 - 245.10	131.90	131	56.65	3.59	0.04	0.04	0.11
Other	251.50 - 272.00	20.50	20	55.76	4.00	0.02	0.02	0.10
Other	295.80 - 334.80	39.00	39	53.35	3.43	0.02	0.02	0.10
Other	354.30 - 368.30	14.00	14	50.71	3.20	0.05	0.05	0.08
ODH – 116	Total depth 157.00 m, vertical, 3676 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	No intersections of mineralization							
ODH – 117	Total depth 291.40 m, vertical, 3695 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	251.00 – 291.40	40.40	40	53.04	3.28	0.02	0.13	0.1
Incl.	266.00 – 291.40	25.40	25	56.57	3.42	0.01	0.16	0.1
ODH – 118	Total depth 128.30 m, vertical, 3675 m AMSL							
	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)

	70.50 – 81.70	11.20	11	44.26	2.2	0.11	0.07	0.07
Other	100.10 – 105.20	5.10	5	47.89	2.55	0.02	0.08	0.07

ODH – 119 Total depth 96.90 m, -60° to grid south, 3675 m AMSL

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
No intersections of mineralization								

ODH – 120 Total depth 190.60 m, -45° to grid south, 3653 m AMSL

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	21.20 – 169.70	148.50	105	53.91	3.78	0.04	0.07	0.1
Incl.	21.20 – 48.20	27.00	19	59.87	4.19	0.08	0.07	0.11
Incl.	100.70 – 168.20	67.50	47	57.64	3.87	0.02	0.04	0.11

ODH – 121 Total depth 330.00 m, -60° to grid south, 3667 m AMSL

	INTERSECTION (m)	WIDTH (m)	TVD (m)*	Fe (%)	S (%)	P (%)	Mn (%)	Cu (%)
	161.50 – 308.30	146.80	127	51.65	3.54	0.04	0.13	0.1
Incl.	161.50 – 244.00	82.50	71	56.91	3.81	0.04	0.14	0.11
Incl.	272.50 – 297.80	25.30	22	58.17	3.98	0.03	0.1	0.12

* TVD – approximate total vertical depth from top to bottom of intersection